


**KEY NOTES:**

1. SEE ONE-LINE DIAGRAM ON SHEET E.D.0. NEW UTILITY SERVICE FROM UTILITY COMPANY (PC) POLE DROP TO NEW MAIN DISTRIBUTION PANEL (MDP).
2. SEE ONE-LINE DIAGRAM ON SHEET E.D.0. NEW UTILITY METER PER UTILITY COMPANY (PC) REQUIREMENTS.
3. NEW TELEPHONE SERVICE FROM UTILITY PROVIDER POLE TO NEW TTIB BOARD AT THIS LOCATION.
4. COORDINATE LOCATION OF CONVENIENCE OUTLETS WITH FIRE SPRINKLER CONTRACTOR PRIOR TO ROUGH-IN.
5. GFCI KITCHEN CONVENIENCE OUTLETS SHALL BE MOUNTED HORIZONTALLY AT 39" A.F.F. FOR ADA ACCESSIBILITY. ALSO, THEY MUST BE MOUNTED A MINIMUM OF 36" FROM A CORNER.
6. PROVIDE TELE/DATA CAT5E TO TTIB.
7. TV CONNECTION. PROVIDE CONNECTOR AT 54" AFF. ROUTE TO TTIB LOCATION.




**ELECTRICAL PLAN-GYM**

SCALE: 1/8"=1'-0"

**TRW**  
 Architecture  
 Planning  
 CHD.

515 EAST PARKWAY CT.  
 Boise, Idaho 83706  
 208.371.9298  
 trw@trwarchitecture.com  
 www.trwarchitecture.com



**ADAMS COUNTY COMMUNITY CENTER**  
**MICHIGAN STREET**  
**COUNCIL, IDAHO**

99U05	
Date:	8/8/2018
Drawn By:	JRR
Checked By:	STJ
Revisions	
▲	
▲	
▲	
▲	

**eci**  
 Engineering Consultants Incorporated  
 303 Federal Way Boise, Idaho 83705  
 Phone (208) 376-9820 Fax (208) 376-9822  
 www.eciboise.com

**E1.2**  
 ELECTRICAL PLAN-GYM